

Pair #	F1(Hz)	F2(Hz)	I(uA)	T(min'sec")	Period(ms)	K0	K1	K2	K3	Polarity	Phase	Description
1	18	45	200	1'	2,500	5	15	80	0	Positive	0	
2	18	1	200	1'	2,500	5	15	80	0	Positive	0	
3	18	162	200	1'	2,500	5	15	80	0	Alternative	0	
4	18	10	200	1'	2,500	5	15	80	0	Alternative	0	
5	18	90	200	1'	2,500	5	15	80	0	Alternative	0	
6	18	89	200	1'	2,500	5	15	80	0	Alternative	0	
7	18	94	200	1'	2,500	5	15	80	0	Alternative	0	
8	18	84	200	1'	2,500	5	15	80	0	Alternative	0	
9	18	355	200	1'	2,500	5	15	80	0	Alternative	0	
10	18	105	200	0'30"	2,500	5	15	80	0	Alternative	0	blood vessels
11	18	474	200	0'30"	2,500	5	15	80	0	Alternative	0	arachnoid matter
12	18	482	200	0'30"	2,500	5	15	80	0	Alternative	0	pia matter
13	18	443	200	0'30"	2,500	5	15	80	0	Alternative	0	dura
14	18	86	200	0'30"	2,500	5	15	80	0	Alternative	0	pars intermedia
15	18	310	200	0'30"	2,500	5	15	80	0	Alternative	0	
16	18	292	200	0'30"	2,500	5	15	80	0	Alternative	0	
17	18	396	200	1'	2,500	5	15	80	0	Positive	0	
18	18	951	200	0'15"	2,500	5	15	80	0	Alternative	0	
19	18	288	200	0'15"	2,500	5	15	80	0	Alternative	0	spinal fluid
20	94	200	200	1'	2,500	5	15	80	0	Alternative	0	
21	970	200	200	1'	2,500	5	15	80	0	Alternative	0	
22	991	45	200	1'	2,500	5	15	80	0	Positive	0	
23	991	94	200	1'	2,500	5	15	80	0	Positive	0	
24	9	94	200	1'	2,500	5	15	80	0	Alternative	0	
25	970	94	200	1'	2,500	5	15	80	0	Alternative	0	
26	94	90	200	1'	2,500	5	15	80	0	Alternative	0	
27	9	90	200	1'	2,500	5	15	80	0	Alternative	0	
28	124	90	200	1'	2,500	5	15	80	0	Alternative	0	
29	321	90	200	1'	2,500	5	15	80	0	Alternative	0	
30	40	90	200	1'	2,500	5	15	80	0	Alternative	0	
31	702	90	200	1'	2,500	5	15	80	0	Positive	0	
32	124	94	200	1'	2,500	5	15	80	0	Alternative	0	
33	321	94	200	0'15"	2,500	5	15	80	0	Alternative	0	
34	40	94	200	1'	2,000	5	15	80	0	Alternative	0	
35	284	94	200	1'	2,500	5	15	80	0	Alternative	0	
36	702	94	200	1'	2,500	5	15	80	0	Positive	0	
37	81	94	200	1'	2,500	5	15	80	0	Alternative	0	
38	9	89	200	1'	2,500	5	15	80	0	Alternative	0	
39	94	89	200	1'	2,500	5	15	80	0	Alternative	0	
40	124	89	200	1'	2,500	5	15	80	0	Alternative	0	
41	321	89	200	1'	2,500	5	15	80	0	Alternative	0	
42	40	89	200	1'	2,500	5	15	80	0	Alternative	0	
43	702	89	200	1'	2,500	5	15	80	0	Positive	0	
44	81	89	200	1'	2,500	5	15	80	0	Alternative	0	
45	9	84	200	1'	2,500	5	15	80	0	Alternative	0	
46	94	84	200	1'	2,500	5	15	80	0	Alternative	0	
47	124	84	200	1'	2,500	5	15	80	0	Alternative	0	
48	321	84	200	0'15"	2,500	5	15	80	0	Alternative	0	
49	40	84	200	1'	2,500	5	15	80	0	Alternative	0	
50	702	84	200	1'	2,500	5	15	80	0	Positive	0	
51	9	310	200	0'30"	2,500	5	15	80	0	Alternative	0	
52	94	310	200	0'30"	2,500	5	15	80	0	Alternative	0	
53	124	310	200	0'30"	2,500	5	15	80	0	Alternative	0	
54	321	310	200	0'15"	2,500	5	15	80	0	Alternative	0	
55	40	310	200	1'	2,500	5	15	80	0	Alternative	0	
56	9	292	200	0'30"	2,500	5	15	80	0	Alternative	0	
57	94	292	200	0'30"	2,500	5	15	80	0	Alternative	0	
58	124	292	200	0'30"	2,500	5	15	80	0	Alternative	0	

BikeAcuteBledHead200uA60'pdTZ.protocol (Continued 1)

Pair #	F1(Hz)	F2(Hz)	I(uA)	T(min'sec")	Period(ms)	K0	K1	K2	K3	Polarity	Phase	Description
59	321	292	200	0'15"	2,500	5	15	80	0	Alternative	0	
60	40	292	200	1'	2,500	5	15	80	0	Alternative	0	
61	702	292	200	1'	2,500	5	15	80	0	Positive	0	
62	81	292	200	1'	2,500	5	15	80	0	Alternative	0	
63	6.8	38	200	1'	2,500	5	15	80	0	Alternative	0	
64	40	562	200	2'	2,500	5	15	80	0	Positive	0	
65	702	709	200	1'	2,500	5	15	80	0	Positive	0	
66	702	45	200	1'	2,500	5	15	80	0	Positive	0	
67	702	1	200	1'	2,500	5	15	80	0	Positive	0	
68	741	1	60	1'	2,500	5	15	80	0	Positive	0	
69	35	102	200	1'	2,500	5	15	80	0	Alternative	0	
70	81	84	200	1'	2,500	5	15	80	0	Alternative	0	